	Application No.	Applicant(s)	(Pak)
Notice of Allowability			My
	10/718,182 Examiner	WURTELE, ROGER Art Unit	N
	Iraj A. Mohandesi	2834	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>11/23/2005</u> .			
2. The allowed claim(s) is/are <u>1-3,5,9-21,22,24,28-30 and 51-60</u> .			
<ul> <li>3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) ☐ All b) ☐ Some* c) ☐ None of the:</li> </ul>			
1. Certified copies of the priority documents have been received.			
2. Certified copies of the priority documents have been received in Application No			
3. Copies of the certified copies of the priority documents have been received in this national stage application from the			
International Bureau (PCT Rule 17.2(a)).			
* Certified copies not received:			
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.			
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.			
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.			
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached			
1) 🗌 hereto or 2) 🔲 to Paper No./Mail Date			
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date			
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
		·	
	·		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application (PTO-	152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary	• • • • • • • • • • • • • • • • • • • •	102)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Da 8), 7. ☐ Examiner's Amend	ite ment/Comment	
Paper No./Mail Date  4.  Examiner's Comment Regarding Requirement for Deposit	8. ⊠ Examiner's Statem		ance
of Biological Material	9. ☐ Other	5 51 1 (0000110 101 7 110W	a <b>00</b>
	3. L. Ouiei		
•			

Application/Control Number: 10/718,182 Page 2

Art Unit: 2834

## **DETAILED ACTION**

1. Specification has been amended.

The language of "without requiring an inverter or a converter circuit "has been removed from the specification on page 5, lines 3-14; page 7, line 26 to page 8, line 9; page 11, lines 7-16; and page 19, lines 9-21 in specification.

No new matter has been added.

- 2. The Rejections 35 USC # 11 2 to the specification has been withdrawn.
- 3. Claims 1,5, 16 and 24 have been amended.
- 4. Claims 4,6-8,23,25-27 and 31-50 have been canceled.

## Allowable Subject Matter

- 5. Claims 1-3,5,9-21,22,24,28-30 and 51-60 are allowed.
- 6. The following is an examiner's statement of reasons for allowance:

Regarding Independents claims 1 and 16,the prior art of the record in particular Anderson'174 in view of Christopher'277 does not teach or suggest a supporting structure for an auxiliary power unit comprising: an enclosure for housing and supporting the auxiliary power unit on the transport vehicle; an air-cooled engine have an output shaft and enclosed within the enclosure, a brush less generator including inter alias, a first and second air duct system within the enclosure, said the enclosure comprise a frame and a plurality of rigid panels secured to the frame, wherein at least a first one of the plurality of rigid panels includes at least a first opening into a first inlet duct to the air-cooled M engine, at least a second one of the plurality of rigid panels induces at least a second opening into a second inlet duct to the generator, and at least

Application/Control Number: 10/718,182 Page 3

Art Unit: 2834

a third one of the plurality of the rigid panels includes at least a first air outlet opening from a first outlet duct from the air cooled engine and at least a second air outlet opening from the generator.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Iraj A. Mohandesi whose telephone number is 571-272-2028. The examiner can normally be reached on M-Th.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Darren Schuberg can be reached on 571-272-2044. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

I. Mohandesi December 19,2005